



CSLB #980409
 DIR 1000004282
 www.source-mme.com
 Toll Free 1-888-484-9968

February 9, 2021

City of Stockton
 2500 Navy Drive
 Stockton, CA 95206

akintayo.fayehun@stocktonca.gov

Attention: Akintayo Fayehun

We are pleased to provide the enclosed contract pricing sheet off the Sourcewell Contract No. 122017-AMI/VAC, for the Vac-Con VPD4212HE/1300 Combination Sewer and Storm Drain Cleaner mounted on a new Freightliner Model 114SD 6x4 truck chassis for your review.

Summary:	Complete Unit per attached Sourcewell price sheet	
	Price F.O.B. Stockton, CA	\$466,416.76
	9.0% Estimated Sales Tax	<u>41,977.51</u>
	Total	<u>\$508,394.27</u>

- **City's Purchase Order to be prepared and sent directly to Vac-Con Inc.**
 969 Hall Park Road, Green Cove Springs, FL 32043
 M.J. Dubois (410) 924-1004 mjdubois@ducollc.com
- Municipal Maintenance Equipment, Inc. is the local dealer and will provide on-site training, warranty support, and future service for the Vac-Con products.
- Pricing includes delivery and on-site training.
- Delivery 90-150 days A.R.O., depending on chassis availability.
- Sales tax applicable at time of delivery will be shown on invoice.
- Terms per Sourcewell Program.

Thank you for your interest in this fine product. Should you have any questions or need additional information, please let us know. We look forward to being of service.

Sincerely,
 Municipal Maintenance Equipment, Inc.

A blue ink signature of James Wheeler, written in a cursive style.

James Wheeler,
 General Manager



01/04/2021

COMBINATION JET/VACUUM SEWER CLEANERSourcewell Contract: 122017-AMI/VAC

Customer: CITY OF STOCKTON

Shipping: CALIFORNIA

Requirement Specification	
Combination jet/vacuum sewer cleaner with all standard equipment VPD4212HE/1300	
Freightliner model 114SD 6 x 4 chassis 370 HP engine, 66,000 GVWR, Automatic transmission and A/C	
Body mounting on Chassis	
Hydrostatic drive	
10' Aluminum Telescoping boom with joy stick and remote pendant control (telescopes hydraulically 10' forward from the stowed position) - 8" diameter intake hose and boom, travel tie down post with latch, 270 degree boom rotation	
Front mounted articulating to driver side hose reel, 800' (1") capacity	
1300 Gallon polyethylene water tank capacity with 10 year warranty	
12 cubic yard capacity debris tank 3/16" corten steel, (5 year warranty) with full opening rear door (minimum 50 degree debris tank dumping, power up and down	
Automatic vacuum breaker (prevents operation when full and contains debris when moving unit) and overfill protection	
1000' of 3/4" Jet Rodder Hose	
Positive Displacement Blower Roots model 827 @ 18" HG	
Giant 7000 water pump rated at 50 GPM @ 3000 PSI, with a GM 5.7 Gas 140 HP auxiliary engine hydraulics	
6" Knife valve with center post and handle	
Built in body prop	
Rear Splash Guard, (2-10 O'clock) tank mounted	
Rubber pad on standard deflector	

Requirement Specification	
1/4 Turn ball valve water drain	
50' Capacity retractable hand gun hose reel	
Debris body Power Flush-out system with 8 jets	
Electronic Titan style water level gauge	
Flush out connection for rear door valve	
Front bumper hand gun connection	
Hydro-X package	
Variable flow valve	
Water pump remote oil drain	
HD Level wind guide aluminum	
Auxiliary engine remote oil drain	
Two Cone storage racks, rear of frame	
Grease assembly articulating hose reel	
Long handle storage - mounted in storage box under shelf	
Rear mounted tow hooks	
Remote boom grease zerk assembly	
Remote debris body grease zerk assembly	
Segmented boom elbow	
Hand held LED spot light	
LED 4 strobes, 2 front bumper, 2 rear bumper	
LED Arrow board	
Boom mounted LED flood lights	
LED Flood light - level wind guide with limb guard	
LED Mid-body flood lights with guards	
Rear mounted flood light with limb guard	

Requirement Specification	
Two LED strobe with limb guard, rear debris tank mounted	
Mid-body LED strobe, frame mounted	
Two LED mirror mounted strobes with guards	
6 Way pendant control station, spare	
Front hose reel camera placement	
Low water alarm with light	
Omnibus Precision Power System	
Rear camera placement	
Wireless remote control	
Traffic camera with color monitor	
Hydro X Lance Assembly 72" with quick disconnects	
Debris body screen flush out	
3/4" x 20' length leader hose	
Folding pipe rack (3), Tank mounted - Curbside	
Folding pipe rack (3). Tank mounted - Driver side	
Front bumper tool boxes (2) 8" x 14" x 6" Aluminum	
24" x 18" x 18" Aluminum rear tool boxes (2) mounted each side	
Safety Striping package - Blue	
Vac-Con unit painted - White	
Chassis parts catalog	
Chassis Operators Manual	
Parts Manual on thumb drive	
Service Manual on thumb drive	
Remote chassis engine start switch	
Two standard ENZ nozzles, one sanitary (egg) and one Chisel point penetrator	

Requirement Specification	
ICC lighting	
Hose guide (tiger tail) for hose protection, hydrant wrench, 25' of fill hose	
20 gpm @ 600 PSI wash down system with hand gun and 25' of ½" hand gun hose	
Local dealer pre delivery and inspection	
On site customer training	
Consignee Delivery	
TOTAL PRICE OFFERED TO SOURCEWELL MEMBER	\$466,416.76
SALES TAX - 9.00%	\$41,977.51
TOTAL PRICE INCLUDING SALES TAX	\$508,394.27

Sourcewell Contract NO 122017-AMI/VAC

VENDOR/CONTRACT HOLDER: VAC-CON, INC. 969 HALL PARK RD GREEN COVE SPRINGS, FL 32043

CONTACT: M.J. DUBOIS EMAIL MJDUBOIS@ducollc.com PHONE: 410-924-1004