



Presents a Proposal Summary

of the



2100i

Combination Single Engine Sewer Cleaner with Positive Displacement Vacuum System Mounted on a 2024 Freightliner 114SD

for

City of Stockton

Contact #

101221-VTR | Maturity Date: 2025-11-29



PRODUCT DESCRIPTION

- 2100i with Roots 824-18" Hg. Blower, 15 Yard Debris body, 1500 Gallons of Fresh Water

STANDARD FEATURES

- Aluminum Fenders
- Mud Flaps
- Electric/Hydraulic Four Way Boom
- Color Coded Sealed Electrical System
- Intuitouch Electronic Package
- Double Acting Dump Hoist Cylinder
- 3" Y-Strainer at Water Pump Inlet
- Ex-Ten Steel Cylindrical Debris Tank
- Flexible Hose Guide
- (3) Nozzles with Carbide Inserts w/Rack
- Suction Tube Storage - 4 Pipe
- 1" Nozzle Pipe
- 10' Leader Hose
- Flat Rear Door w/Hydraulic Locks
- Dual Stainless Steel Float Shut Off
- Debris Body Vacuum Relief System
- Debris Deflector Plate
- 60" Dump Height
- Additional Water Tank Sight Guage
- Liquid Float Level Indicator
- Boom Transport Post Storage
- 3" Y-Strainer @ Water Pump
- 1" Water Relief Valve
- Microstrainer Prior to Blower
- Midship Handgun Coupling
- Side Mounted Water Pump
- Hose Wind Guide (Dual Roller)
- Hose Reel Manual Hyd. Extend/Retract
- Hose Reel Chain Cover (Full)
- Hydraulic Extending 15", Rotating Hose Reel, 1" x 1000' Capacity
- Tachometer & Hourmeter/Blower
- Circuit Breakers
- LED Lights. Clearance, Back-Up, Stop, Tail & Turn
- Tow Hooks, Front and Rear
- Electronic Back-Up Alarm
- Module Paint, Dupont Imron Elite - Sanded Primer Base
- 7" Vacuum Pipe Package
- Emergency Flare Kit
- Fire Extinguisher 5 Lbs.
- Fixed Rear Door Pipe Rack, 7" Pipe
- Subframe Mounted, 2-Pipe Rack, 7"
- Low Water Alarm with Water Pump Flow Indicator
- Joystick Boom Control
- Rodder System Accumulator- Jack Hammer on/off control w/ manual valve
- Digital Hose Footage Counter
- Water Pump Hour Meter
- PTO Hour Meter
- Hydraulic Oil Temp Alarm
- Digital Water Pressure Gauge
- Vactor Standard Manual and USB Version - 1 + Dealer

ADDITIONAL FEATURES

- 48" x 22" x 24" Curb Side Aluminum Toolbox with Lighting
- Roots 824-18" Hg. Blower
- 180 deg. 10' x 15' Rapid Deployment Boom
- RDB Washout Coupling
- 80 GPM Variable Flow Water System
- 2500 PSI Water Pressure
- Hydraulic Cooling Package
- 1" x 800' Piranha Sewer Hose, 2500 PSI
- Debris Body Washout
- 6" Knife Valve w/Cam-Loc, Rear Door, 3:00 Position
- 6" Rear Door Knife Valve w/Camloc w/Port, 6:00 position
- Full Rear Door Swinging Screen
- Centrifugal Separators (Cyclones)
- Folding Pipe Rack, Curbside, 7" Pipe
- Folding Pipe Rack, Streetside, 7" Pipe
- Rear Door Splash Shield
- Lube Manifold
- Plastic Lube Chart
- Final Filter and Silencer Ball Valve Drains
- Hot Shift Blower Drive (automatic transmission)
- Belpack Wireless Controls with hose reel controls, 2-way communications, and LCD Display
- Rotatable Boom Inlet Hose
- Anti Splash Valve, Body Inlet
- Handgun Couplers, Front and Rear
- Hydro Excavation Kit - Includes Lances w/ Shield, Nozzles, Storage Tray, and Vacuum Tube
- Hose Wind Guide (Dual Roller), Auto, Non-Indexing
- Rodder Hose Pinch Roller
- High Pressure Hose Reel
- Lateral Cleaning Kit w/150' Hose and Nozzle, 25 GPM/2000 PSI at side
- Rodder Pump Drain Valves
- Rear Directional Control, LED Arrowstick
- Wireless, Waterproof, Rechargeable, Handheld, LED Spot Light w/12V Charger
- Rear Mounted, LED Beacon Light w/ Limb Guard
- Front Mounted, LED Beacon Light w/Limb Guard
- 14 Lighting Package, 14 Federal Signal Strobe Lights, LED
- LED Mid-Ship Turn Signals
- Worklights (2), LED, Boom
- Worklights (2), LED, Rear Door
- Worklight, LED, Operators Station
- Worklight, LED, Hose Reel Manhole
- Worklight, LED, Curb Side
- Worklight, LED, Street Side
- Hose Reel Wrapped for Delivery
- Toolbox, Front Bumper Mounted, 16 x 12 x 18 w/(2) LED Side Markers
- Behind Cab Toolbox with Lighting
- Toolbox, Driver Side Chassis Frame, 24w x 24h x 24d, with Lighting
- Toolbox, Driver Side Subframe, 18w x 24h x 24d, with Lighting
- (4) Long Handle Tool Storage Locations Behind Cab
- Camera System, Front, Rear and Both Sides
- Safety Cone Storage Rack - Post Style
- Additional Safety Cone Storage Rack - Post Style
- Digital Water Level Indicator
- Digital Debris Body Level Indicator
- Blower High Temperature Safety Shutdown
- 1 Printed Full Vactor Manual

- Vactor Standard Manual and USB Version – 1
- Boom out of position alarm
- Body out of position alarm

TOTAL Price for 2 Vactor 2100i's,	\$1,215,860.00
DELIVERY AND IN-SERVICE Training	INCLUDED
LICENSING AND REGISTRATION	INCLUDED
TAX 9.0%	\$109,427.40
CA Tire Fee	\$35.00
TOTAL FOB STOCKTON	\$1,325,322.40

THE PROPERTY HEREIN IS GUARANTEED BY MANUFACTURER'S WARRANTY ONLY AND SELLER MAKES NO WARRANTY EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR OTHERWISE, OR OF FITNESS FOR ANY PARTICULAR PURPOSE, THAT EXTENDS BEYOND THE ABOVE DESCRIPTION OF THE EQUIPMENT.

NOTE: Price is good for 60 Days. Cost increases due to the addition of Government mandated safety or environmental devices incurred after the date of this proposal, will be charged to you at our cost. Proof of such costs, if any, will be documented.

TAXES: SALES TAX applicable at time of delivery will be shown on our invoice. FEDERAL EXCISE TAXES, if applicable, will require payment unless a properly executed Exemption Certificate is submitted.

DELIVERY: 12-14 Months ARO

TERMS: Net 10 or Approved Lease

If you have any questions, please give me a call at (707)290-9093.

Sincerely,

Russell Knight

Russell Knight
CA Regional Manager

LIMITED WARRANTY

Limited Warranty. Each machine manufactured by VACTOR MANUFACTURING (or, "the Company") is warranted against defects in material and workmanship for a period of 12 months, provided the machine is used in a normal and reasonable manner and in accordance with all operating, maintenance and safety instructions. In addition, certain machines and components of certain machines have extended warranties as set forth below. If sold to an end user, the applicable warranty period commences from the date of delivery to the end user. If used for rental purposes, the applicable warranty period commences from the date the machine is first made available for rental by the Company or its representative. This limited warranty may be enforced by any subsequent transferee during the warranty period. This limited warranty is the sole and exclusive warranty given by the Company.

STANDARD EXTENDED WARRANTIES (Total Warranty Duration)

<u>2100 Series, HXX Series and Jetters</u>	10 years against water tank leakage due to corrosion. Nonmetallic water tanks are covered for 5 yrs. against any factory defect in material or workmanship.
<u>2100 Series, HXX Series and Guzzler only</u>	5 years against leakage of debris tank, centrifugal compressor or housing due to rust-through.
<u>2100 Series and Jetters</u>	2 years - Vactor Rodder Pump

Exclusive Remedy. Should any warranted product fail during the warranty period, the Company will cause to be repaired or replaced, as the Company may elect, any part or parts of such machine that the Company's examination discloses to be defective in material or factory workmanship. Repairs or replacements are to be made at the selling Company's authorized dealer's or distributor's location or at other locations approved by the Company. In lieu of repair or replacement, the Company may elect, at its sole discretion, to refund the purchase price of any product deemed defective. The foregoing remedies shall be the sole and exclusive remedies of any party making a valid warranty claim.

This Limited Warranty shall not apply to (and the Company shall not be responsible for):

1. Major components or trade accessories that have a separate warranty from their original manufacturer, such as, but not limited to, trucks and truck chassis, engines, hydraulic pumps and motors, tires and batteries.
2. Normal adjustments and maintenance services.
3. Normal wear parts such as, but not limited to, oils, fluids, vacuum hose, light bulbs, fuses and gaskets.
4. Failures resulting from the machine being operated in a manner or for a purpose not recommended or not in accordance with operating, maintenance or safety instructions provided by the Company.
5. Repairs, modifications or alterations without the express written consent of the Company, which in the Company's sole judgment, have adversely affected the machine's stability, operation or reliability as originally designed and manufactured.
6. Items subject to misuse, negligence, accident or improper maintenance.

NOTE The use in the product of any part other than parts approved by the Company may invalidate this warranty. The Company reserves the right to determine, in its sole discretion, if the use of non-approved parts operates to invalidate the warranty. Nothing contained in this warranty shall make the Company liable for loss, injury, or damage of any kind to any person or entity resulting from any defect or failure in the machine.

THIS WARRANTY SHALL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND TO THE EXTENT PERMITTED, CONFERRED BY STATUTE, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY AGAINST FAILURE OF ITS ESSENTIAL PURPOSE, ALL OF WHICH ARE DISCLAIMED.

This warranty is in lieu of all other obligations or liabilities, contractual and otherwise, on the part of the Company. For the avoidance of doubt, the Company shall not be liable for any indirect, special, incidental or consequential damages, including, but not limited to, loss of use or lost profits. The Company makes no representation that the machine has the capacity to perform any functions other than as contained in the Company's written literature, catalogs or specifications accompanying delivery of the machine. No person or affiliated company representative is authorized to alter the terms of this warranty, to give any other warranties or to assume any other liability on behalf of the Company in connection with the sale, servicing or repair of any machine manufactured by the Company. Any legal action based hereon must be commenced within eighteen (18) months of the event or facts giving rise to such action.

The Company reserves the right to make design changes or improvements in its products without imposing any obligation upon itself to change or improve previously manufactured products.



VACTOR MANUFACTURING
1621 S. Illinois Street
Streator, IL 61364



TERMS AND CONDITIONS

ORDERS: All orders are subject to acceptance by Vactor Manufacturing, Inc. or Guzzler Manufacturing, Inc. (hereafter referred to as Vactor). Orders for products not normally carried in stock or requiring special engineering or manufacturing is in every case subject to approval by Vactor's Management.

PRICES: All orders are subject to current prices in effect at the time of order acknowledgement.

F.O.B. Point: Unless otherwise stated, all prices listed are F.O.B. factory.

PAYMENT TERMS: The company's payment terms are due upon receipt, unless otherwise stated. However, until such time as Vactor receives full payment, Vactor shall maintain a purchase money security interest in the product.

CANCELLATION: Orders cannot be cancelled except upon terms that will compensate Vactor for any loss or damage sustained. Such loss will be a minimum of 10% of the purchase price.

SHIPMENT: All proposals are based on continuous and uninterrupted delivery of the order upon completion, unless specifications distinctly state otherwise. In the event that agreement is reached for Vactor to store completed items, they will be immediately invoiced to the customer and become due and payable. Storage shall be at the risk of the customer and Vactor shall be liable only for ordinary care of the property.

STORAGE CHARGES: Vactor shall charge the customer at current rates for handling and storing customer's property (e.g. truck chassis) held for more than thirty (30) days after notification of availability for shipment. All customer's property, or third party's property, that is stored by Vactor is at the customer's or other party's risk. Vactor is not liable for any loss or damage thereto caused by fire, water, corrosion, theft, negligence, or any caused beyond its reasonable control.

PERFORMANCE: Vactor shall not be liable for failure to complete the contract in accordance with its terms if failure is due to wars, strikes, fires, floods, accidents, delays in transportation or other causes beyond its reasonable control.

EXPERIMENTAL WORK: Work performed at customer's request such as sketches, drawings, design, testing, fabrication and materials shall be charged at current rates.

SKETCHES, ENGINEERING DRAWINGS, MODELS and all preparatory work created or furnished by Vactor, shall remain its exclusive property; and no use of same shall be made nor may ideas obtained therefrom be used except with the consent of and on terms acceptable to Vactor.

TAXES: Buyer's final cost shall include all applicable sales and use taxes, including all sales and use taxes attributable to

any changes made to Buyer's initial order placed hereunder or to any changes to applicable sales and use tax laws. However, Vactor Manufacturing, Inc. shall be responsible for Federal Excise Tax (F.E.T.) unless it is separately stated on the invoice and added to the selling price. If F.E.T. is not separately stated on the invoice it has not been included in the price and Vactor will pay any F.E.T. due itself and bear the cost of the tax. Any refunds or adjustments to the F.E.T. in such cases belong to Vactor.

PRODUCT IMPROVEMENTS: Vactor reserves the right to change manufacturing specifications and procedure in accordance with its product improvement policy.

MOUNTING PRICES: Mounting prices assume normally factory installation on a truck chassis suitable for the unit purchased. Relocation of batteries, fuel tanks, mufflers, air tanks, etc. will be an additional charge, billed at the standard factory labor rate.

WARRANTY: Vactor warrants its products to be free from defects in material and workmanship for a period of 12 months, subject to the limitations and conditions set forth in its current published warranty. Other than those expressly stated herein. THERE ARE NOT OTHER WARRANTIES OF ANY KIND EXPRESS OR IMPLIED, AND SPECIFICALLY EXCLUDED BUT NOT BY WAY OF LIMITATION, ARE THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MECHANABILITY.

IT IS UNDERSTOOD AND AGREED THE VACTOR'S LIABILITY WHETHER IN CONTRACT, IN TORT, UNDER ANY WARRANTY IN NEGLIGENCE OR OTHERWISE SHALL NOT EXCEED THE RETURN OF THE AMOUNT OF THE PURCHASE PRICE PAID BY THE PURCHASER AND UNDER NO CIRCUMSTANCES SHALL VACTOR BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES. THE PRICES STATED FOR THE EQUIPMENT IS A CONSIDERATION IN LIMITING VACTOR'S LIABILITY. NO ACTION REGARDLESS OF FORM, ARISING OUT OF THE TRANSACTION OF THE AGREEMENT MAY BE BROUGHT BY PURCHASER MORE THAN ONE YEAR AFTER THE CAUSE OF ACTION HAS OCCURRED.

VACTOR'S MAXIMUM LIABILITY SHALL NOT EXCEED AND BUYER'S REMEDY IS LIMITED TO EITHER (I) REPAIR OR REPLACEMENT OF THE DEFECTIVE PART OF PRODUCT, OR AT VACTOR'S OPTION (II) RETURN OF THE PRODUCT AND REFUND OF THE PURCHASE PRICE AND SUCH REMEDY SHALL BE BUYER'S ENTIRE AND EXCLUSIVE REMEDY.

TERMS AND CONDITIONS

CHOICE OF LAW: These terms and conditions shall be construed according to the laws of the State of Illinois. Failure at anytime by Vactor to exercise any right of its rights under this agreement shall not constitute a waiver-thereof nor prejudice Vactor's right to enforce it thereafter.

COMPLETE AGREEMENT: These terms and conditions, contain the complete and final agreement between the parties hereto and no other agreement in any way modifying any of these terms and conditions will be binding on Vactor unless in writing and agreed to by an authorized representative of Vactor. All proposed terms included in Buyer's purchase order or other standard contracting documents are expressly rejected.

I agree with the above terms and conditions:

Date: _____