EXHIBIT A ZONE CHANGE FOR CANNERY PARK UNIT NO. 1, LOTS 4 & 5 AND CANNERY PARK NO. 12, REMAINDER LEGAL DESCRIPTION

Being a portion of Lot 4, and Lot 5, as shown on that certain map entitled "Tract No. 3465, Cannery Park Unit No. 1" filed for record in Book 40 of Maps and Plats, Page 51, Amended per Certificate of Correction recorded as Document No. 2006-081669, and on the map entitled "Tract No. 4076, Cannery Park No. 12-Village C", San Joaquin County Records, City of Stockton, County of San Joaquin, State of California, more particularly described as follows:

PARCEL 1 PROPOSED CG ZONE, CHANGE IN SIZE:

APN: 122-020-32 & 33

Being a portion of said Lot 4, more particularly described as follows:

BEGINNING at the Northeast corner of said Lot 4; thence, along the Easterly and Southeaster lines of said Lot 4 the following five (5) courses: (L12) South 08°37'05" West 74.09 feet; thence, (L13) South 32°05'10" West 155.94 feet; thence, (L14) South 31°56'19" West 279.44 feet; thence, (L15) South 37°30'51" West 40.68 feet; thence, (L16) South 39°35'53" West 74.78 feet; thence, (L17) North 58°03'48" West 166.20 feet; thence, (L18) North 00°29'52" East 82.94 feet; thence, (L19) North 44°30'08" West 57.26 feet; thence, (L20) North 89°30'08" West 160.61 feet to a non-tangent curve concave to the North having a radius of 63.00 feet, to which a radial line bears (L67) South 66°07'20" East; thence, along said curve (C1) through a central angle of 133°14'25" an arc distance of 146.51 feet, and a chord course of North 89°30'08" West 115.65 feet; thence, (L21) North 89°30'08" West 636.15 feet; thence, (L22) South 00°29'52" West 307.70 feet to a non-tangent curve concave to the West having a radius of 62.50 feet, to which a radial line bears South 24°04'33" West thence, along said curve (C2) through a central angle of 132°50'37" an arc distance of 144.91 feet, and a chord course of South 0°29'52" West 114.56 feet; thence, (L23) South 0°29'52" West 159.64 feet; thence, (L24) North 87°51'54" East 157.64 feet to a tangent curve concave to the Southwest having a radius of 70.00; thence, along said curve (C3) through a central angle of 65°49'23" an arc distance of 80.42 feet, and a chord course of South 59°13'24" East 76.07 feet; thence; thence, (L25) South 26°18'43" East 37.14 feet; thence, (L26) South 88°51'17" West 78.07 feet; thence, (L27) South 89°34'20" West 130.36 feet to a non-tangent curve concave to the Southeast having a radius of 725.76 feet, to which a radial line bears (L69) North 4°48'44" West; thence, along said curve (C4) through a central angle 29°30'30" an arc distance of 373.78 feet, and a chord course of South 70°26'01" West 369.66 feet; thence, (L28) South 61°07'39" West 42.51 feet; thence, (L29) North 78.92 feet; thence, (L30) North 41°27'48" West 30.21 feet; thence, (L31) North 274.78 feet; thence, (L32) North 45°00'00" East 21.21 feet; thence, (L33) North 78.00 feet; thence, (L34) North 45°00'00" West 21.21 feet; thence, (L35) North 269.29 feet to a beginning of curve concave to the East having a radius of 250.00 feet; thence, along said curve (C5) through a central angle of 05°42'38" an arc distance of 24.92 feet, and a chord course of North 2°51'19" East 24.91 feet; thence, (L36) North 05°42'38" East 63.09 feet to a tangent curve concave to the West having a radius of 500.00 feet; thence, along said curve (C6) through a central angle of 05°42'38" an arc distance of 49.83 feet, and a chord course of North 2°51'19" East 49.81 feet; thence, (L37) North 195.15 feet; thence, (L1) North 45°14'56" East 21.31 feet; thence, (L2) South 79°50'37" East 59.60 feet; thence, (L3) South 89°30'08" East 101.98 feet; thence, (L4) North 84°52'07" East 141.07 feet; thence, (L5) North 87°29'58" East 136.92 feet; thence, (L6) South 89°30'08" East 514.31 feet; thence, (L7) South 44°30'08" East 49.50 feet; thence, (L8) South 89°30'08" East 96.00 feet; thence, (L9) North 00°29'52" East 11.00 feet; thence, (L10) North 45°29'52" East 49.50 feet; thence, (L11) South 89°30'08" East 643.27 feet to THE POINT OF BEGINNING.

Containing 19.77 acres, more or less.

PARCEL 2 **PROPOSED RH ZONE, CHANGE FROM CG ZONE:**

APN: 122-020-32 & 33

Being a portion of said Lot 4, more particularly described as follows:

COMMENCING at a the Northeast corner of said Lot 4; thence, along Easterly and Southeasterly of said Lot 4 the following five (5) courses: (L12) South 8°37'05" West 74.09 feet; (L13) South 32°05'10" West 155.94 feet; (L14) South 31°56'19" West 279.44 feet ; (L15) South 37°30'51" West 40.68 feet; (L16) South 39°55'53" West 74.78 feet to THE POINT OF BEGINNING; thence, continue on the Southeasterly line of said Lot 4 (L60) South 39°35'53" West 17.04 feet; thence, (L38) South 53°01'55" West 331.26 feet; thence, (L39) South 53°36'09" West 268.60 feet; thence, (L40) South 63°23'39" West 92.55 feet; thence, (L41) South 80°36'49" West 68.05 feet; thence, (L42) South 88°51'17" West 216.98 feet; thence, leaving last said line (L25) North 26°18'43" West 37.14 feet to a tanaent curve concave to the Southwest having a radius of 70.00 feet; thence along said curve (C3) through a central angle of 65°49'23" an arc distance of 80.42 feet, and a chord course of North 59°13'24" West 76.07 feet; thence, (L24) South 87°51'54" West 157.64 feet; thence, (L23) North 0°29'52" East 159.64 feet to beginning of a non-tangent curve concave to the West having a radius of 62.50 feet, to which a radial line bears (L61) South 23°04'49" East; thence, (L22) North 0°29'52" East 307.70 feet; thence, (L21) South 89°30'08" East 636.15 feet to a non-tangent curve concave to the North having a radius of 63.00 feet, to which a radial line bears (L62) South 67°07'04" West; thence, along said curve (C1) through a central angle of 133°14'25" an arc distance of 146.51 feet, and a chord course of South 89°30'08" East 115.65 feet; thence, (L20) South 89°30'08" East 160.61 feet; thence, (L19) South 44°30'08" East 57.26 feet; thence, (L18) South 0°29'52" West 82.94 feet; thence, (L17) South 58°03'48" East 166.20 feet to THE POINT OF BEGINNING.

Containing 12.34 acres, more or less.

PARCEL 3 PROPOSED RL ZONE, CHANGE FROM CG ZONE & RH ZONE: APN: 122-020-38

Being a portion of said Lot 5, more particularly described as follows:

BEGINNING at the Northwest corner of said Lot 5; thence, (L43) North 89°22'15" East 150.78 feet to beginning of a non-tangent curve concave to the Northwest having a radius of 623.00 feet, to which a radial line bears (L63) South 3°06'54" West; thence, along said curve (C7) through a central angle of 40°11'56" an arc distance of 437.10 feet, and a chord course of North 73°00'56" East 428.19 feet; thence, (L44) North 53°35'08" East, a distance of 513.88 feet to a non-tangent curve concave to the Northwest having a radius of 843.00 feet, to which a radial line bears (L65) South 37°57'44" East; thence, along said curve (C8) through a central angle of 21°16'16" an arc distance of 312.96 feet, and a chord course of North 41°24'08" East 311.17 feet; thence, (L45) North 31°57'15" East 248.32 feet; thence, (L46) North 30°48'26" East 278.36 feet; thence, (L47) North 32°06'05" East 10.36 feet to the most Northerly corner of said Lot 5; thence, (L48) South 62°54'17" East 28.98 feet; thence, (L49) South 12°39'10" East 82.92 feet; thence, (L50) South 29°35'46" East 256.86 feet; thence, (L51) South 28°16'08" East 505.61 feet; thence, (L52) South 22°04'50" East 187.54 feet; thence, (L53) South 09°20'57" East 198.35 feet; thence, (L54) South 02°48'08" East 788.53 feet; thence, (L55) South 87°11'52" West 46.62 feet; thence, (L56) South 43°35'56" West 19.33 feet; thence, West 1,950.75 feet; thence, North 812.38 feet to THE POINT OF BEGINNING.

Containing 55.876 acres, more or less.

PARCEL 4 **PROPOSED RL ZONE, CHANGE FROM CG ZONE:** APN: 122-020-43

Being said Remainder, more particularly described as follows:

BEGINNING at the Northwest corner of said Remainder; thence, along the Northerly line of said Remainder East 1100.56 feet; thence, (L57) South 46°24'04" East 13.79 feet; thence, (L58) South 2°48'08" East 453.16 feet; thence, North 89°53'30" West 1132.71 feet; thence, (L59) North 459.98 feet to THE POINT OF BEGINNING.

Containing 11.90 acres, more or less.

All Parcels are subject to covenants, conditions, restrictions, reservations, rights, rights-of-way, and easements of record, if any.

See Exhibit B consisting of three sheets attached hereto and made a part hereof.

Kaiser I. Shahbaz, L. S. 85

3/06/2024 Date




EXHIBIT 2





EXHIBIT 2



	187.54'	S22°04'50"E	L52		21.21'	N45°00'00''E	L32		74.09'	8°37'05''W	12 S8
	198.35'	S9°20'57''E	L53		78.00 '	N0°00'00''E	L33	1	155.94'	2°05'10"W	13 S32
	788.53 '	S2°48'08''E	L54		21.21'	N45°00'00"W	L34	1	279.44'	1°56'19"W	14 S3 ⁻
	46.62'	S87°11'52''W	L55		269.29'	N0°00'00''E	L35		40.68'	7°30'51''W	15 S37
	19.33'	S43°35'56''W	L56]	63.09 '	N5°42'38''E	L36		74.78'	9°35'53''W	16 539
	13.79'	S46°24'04''E	L57]	195.15'	N0°00'00''E	L37	I	166.20 '	8°03'48''W	17 N58
	453.16'	S2°48'08''E	L58	1	331.26	S53°01'55''W	L38		82.94')°29'52''E	18 NC
	459.98'	N0°00'00''E	L59		268.60'	S53°36'09''W	L39		57.26'	4°30'08''W	19 N44
	17.04'	S39°35'53''W	L60	1	92.55'	S63°23'39''W	L40	I	160.61'	9°30'08''W	20 N89
	ABLE	LINE DATA TA		_			<u> </u>			I	
	DISTANCE	BEARING	LINE			E	TABL	e data	CURVE		
	(R)	S23°04'49''E	L61		CHORD	CH.BEARING	GTH	JS LEN	RADIU	DELTA	CURVE
	(R)	S67°07'04"W	L62		115.65'	189°30'08''W	51'	0' 146	63.00	133°14'25'	C1
	(R)	S3°06'54''W	L63		114.56'	S0°29'52''W	91'	0' 144	62.50	132°50'37'	C2
	(R)	S37°05'02''E	L64		76.07'	659°13'24''E	42'	0' 80.	70.00	65°49'23''	С3
	(R)	S37°57'44''E	L65		369.66'	570°26'01''W	.78 '	'6' 373	725.76	29°30'30''	C4
	(R)	S59°14'00''E	L66		24.91'	N2°51'19"E	92'	00' 24.	250.00	5°42'38''	C5
	(R)	S66°07'20''E	L67		49.81'	N2°51'19''E	83'	00' 49.	500.00	5°42'38''	C6
	(R)	N24°04'33"E	L68		428.19'	173°00'56''E	.10'	0' 437	623.00	40°11'56''	C7
	(R)	N4°48'44''W	L69		311.17'	V41°24'08''E	.96 '	0' 312	843.00	21°16'16''	C8
EET 3	SH	I									
3/06/	KS	B_REZONE.dwg)	DWG\EX	CHANGE	FILES\GEN-ZONE	VDRAWING\SHEET	00\surve	W:\108103	V		
EX⊦		OSED ZONE CHA			LLC	M INVESTORS	HOLA				
E	CANNERY PARK UNIT NO. 1, LOTS 4 & 5 AND UNIT NO. 12, REMAIDER		4 E RIGHT MILE ROAD			430 10th Street					
	ö & 43	2-020-32, 22, 38	For: 209.568.44/8 STOCKTON, CA 95212 APN 122-020-32, 22, 38 & 43								

LINE DATA TABLE					
LINE	BEARING	DISTANCE			
L1	N45°14'56''E	21.31'			
L2	S79°50'37''E	59.60'			
L3	S89°30'08''E	101.98'			
L4	N84°52'07''E	141.07'			
L5	N87°29'58''E	136.92'			
L6	S89°30'08''E	514.31'			
L7	S44°30'08''E	49.50'			
L8	S89°30'08''E	96.00'			
L9	N0°29'52''E	11.00'			
L10	N45°29'52''E	49.50'			
L11	S89°30'08''E	643.27'			
L12	S8°37'05''W	74.09'			
L13	S32°05'10"W	155.94 '			
L14	S31°56'19"W	279.44'			
L15	S37°30'51''W	40.68'			
L16	S39°35'53''W	74.78'			

LINE DATA TABLE					
LINE	BEARING	DISTANCE			
L21	N89°30'08''W	636.15 '			
L22	S0°29'52''W	307.70 '			
L23	S0°29'52''W	159.64'			
L24	N87°51'54''E	157.64'			
L25	S26°18'43''E	37.14'			
L26	S88°51'17''W	78.07'			
L27	S89°34'20''W	130.36 '			
L28	S61°07'39"W	42.51'			
L29	N0°00'00''E	78.92'			
L30	N41°27'48''W	30.21'			
L31	N0°00'00''E	274.78'			
L32	N45°00'00''E	21.21'			
L33	N0°00'00''E	78.00 '			
L34	N45°00'00''W	21.21'			
L35	N0°00'00''E	269.29'			
L36	N5°42'38''E	63.09 '			
L37	N0°00'00''E	195.15'			
L38	S53°01'55''W	331.26'			
L39	S53°36'09''W	268.60'			
L40	S63°23'39''W	92.55'			

BEARING	DISTANCE				
S80°36'49''W	68.05'				
S88°51'17''W	216.98'				
N89°22'15''E	150.78'				
N53°35'08''E	513.88'				
N31°57'15''E	248.32 '				
N30°48'26''E	278.36'				
N32°06'05''E	10.36'				
S62°54'17''E	28.98 '				
S12°39'10''E	82.92'				
S29°35'46''E	256.86'				
S28°16'08''E	505.61'				
S22°04'50''E	187.54'				
S9°20'57''E	198.35'				
S2°48'08''E	788.53'				
S87°11'52''W	46.62 '				
S43°35'56''W	19.33 '				
S46°24'04''E	13.79 '				
S2°48'08''E	453.16 '				
N0°00'00''E	459.98 '				
S39°35'53''W	17.04'				
LINE DATA TABLE					
BEARING	DISTANCE				
S23°04'49''E	(R)				
S67°07'04"W	(R)				
S3°06'54''W	(R)				
S37°05'02''E	(R)				
S37°57'44''E	(R)				
S59°14'00''E	(R)				
S66°07'20''E	(R)				
N24°04'33''E	(R)				
	S80°36'49''W S88°51'17''W N89°22'15''E N31°57'15''E N31°57'15''E N32°06'05''E S62°54'17''E S22°04'50''E S28°16'08''E S28°16'08''E S22°04'50''E S2°48'08''E S2°48'08''E S37°11'52''W S43°35'56''W S43°35'56''W S43°35'56''W S43°35'56''W S43°35'56''W S43°35'53''W S46°24'04''E S2°48'08''E S37°11'52''W S33°35'53''W LINE DATA TA BEARING S23°04'49''E S33°06'54''W S33°06'54''W S33°06'54''W S33°06'54''W				

LINE DATA TABLE